

CHAdEMO-certified Charger List

Company name	Model number	Specification version	Output power	Input specification	Lower limit of output voltage	Upper limit of voltage	Remarks
NTT FACILITIES, INC	FSQC-10-1	0.9.1	10kW	Three-phase 200V	50V	500V	
	FSQC-20-1	0.9.1	20kW	Three-phase 200V	50V	500V	
	FSQC-30-1	0.9	30kW	Three-phase 200V	50V	500V	
	FSQC-40-1	0.9.1	40kW	Three-phase 200V	50V	500V	
	FSQC-50-0-SD-F	0.9	50kW	Three-phase 200V	50V	500V	
	FSQC-50-1	0.9	50kW	Three-phase 200V	50V	500V	
Enegate Co., Ltd.	ECOQ-Q440	0.9.1	44kW	Three-phase 200V	50V	500V	
KIKUSUI ELECTRONICS CORPORATION	Milla-E20	0.9.1	20kW	Three-phase 200V	50V	500V	
	Milla-E40	0.9	40kW	Three-phase 200V	50V	500V	
	Milla-E50	0.9	50kW	Three-phase 200V	50V	500V	
Kyuden Technosystems Corporation	KRCS-50W-1	0.9	50kW	Three-phase 200V	50V	500V	
	KRCO-50-1	0.9	50kW	Three-phase 200V	50V	500V	
	KRCS-50-1	0.9	50kW	Three-phase 200V	50V	500V	
	KRCS-50-1-1	0.9	50kW	Three-phase 200V	50V	500V	
	KRCS-50-2	0.9.1	50kW	Three-phase 200V	50V	500V	
	QRCS-30S-1	1.0.1	30kW	Three-phase 200V	50V	500V	
KYUHEN Co., Inc.	QC30S	0.9.1	30kW	Three-phase 200V	50V	450V	
	QC30D	0.9.1	30kW	Three-phase 200V	50V	450V	Equipped with two charging connectors switching during charge
	QC30D-K1						
	QC30D						
SAIKAWA CO., LTD.	EDS-11-D10	0.9.1	10kW	DC input	50V	500V	
GS Yuasa Corporation	EVC-20KA	0.9	20kW	Three-phase 200V	50V	500V	
	EVC-50KA	0.9	50kW	Three-phase 200V	50V	500V	
	EVC-R-20KA	0.9.1	20kW	Three-phase 200V	50V	500V	
	EVC-R-30KA	0.9.1	30kW	Three-phase 200V	50V	500V	
JFE TECHNOS Corporation	RAPIDAS	0.9	50kW	Three-phase 200V	50V	500V	
	RAPIDAS-R	0.9.1	50kW	Three-phase 200V	50V	500V	
	JNSG-050	0.9.1	50kW	Single-phase 200V	50V	500V	
Shindengen Electric Manufacturing Co., Ltd.	SDQC-20	0.9.1	20kW	Three-phase 200V	50V	500V	
	SDQC-30	0.9.1	30kW	Three-phase 200V	50V	500V	
	SDQC-50	0.9.1	50kW	Three-phase 200V	50V	500V	
	SDQC-20-1	1.0.1	20kW	Three-phase 200V	50V	500V	
	SDQC-30-1	1.0.1	30kW	Three-phase 200V	50V	500V	
	SDQC-50-1	1.0.1	50kW	Three-phase 200V	50V	500V	
	SDQC-301	0.9.1	30kW	Single-phase 200V	50V	500V	
	SDQC2F90NT4415	1.2	90kW	Three-phase AC415V	150V	450V	
	SDQC2F90NT4415-M	1.2	90kW	Three-phase AC415V	150V	450V	
SINFONIA TECHNOLOGY CO., LTD.	IEC-119-2A	0.9.1	44kW	Three-phase 200V	50V	500V	
	IEJ-2-1A	0.9.1	44kW	Three-phase 200V	50V	500V	
	IEC-120-1C	0.9.1	44kW	Three-phase 200V	50V	500V	
	IEC-120-2C	0.9.1	44kW	Three-phase 200V	50V	500V	
TAKASAGO LTD.	TQVC200M1	0.9	20kW	Three-phase 200V	50V	500V	
	TQVC200M3	0.9.1	20kW	Three-phase 200V	50V	500V	
	TQVC440M3	0.9	44kW	Three-phase 200V	50V	500V	
	TQVC500M2	0.9	50kW	Three-phase 200V	50V	500V	
	TQVC500M3	0.9	50kW	Three-phase 200V	50V	500V	
DENGEN CO., LTD	DEV-10KW	0.9.1	10kW	Three-phase 200V	50V	500V	
TAKAOKA TOKO CO.,LTD.	HFR1-10B4S	0.9.1	10kW	Single-phase 200V	50V	500V	
	HFR1-10B4T	0.9	10kW	Three-phase 200V	50V	500V	
	HFR1-20B4S	0.9.1	20kW	Single-phase 200V	50V	500V	
	HFR1-20B4T	0.9	20kW	Three-phase 200V	50V	500V	
	HFR1-30B3	0.9	30kW	Three-phase 200V	50V	500V	
	HFR1-30B4	0.9	30kW	Three-phase 200V	50V	500V	
	HFR1-30B4S	0.9.1	30kW	Single-phase 200V	50V	500V	
	HFR1-33B	0.9.1	33kW	Three-phase 400V	50V	500V	
	HFR1-40B3	0.9	40kW	Three-phase 200V	50V	500V	
	HFR1-40B4	0.9	40kW	Three-phase 200V	50V	500V	
	HFR1-50B3	0.9	50kW	Three-phase 200V	50V	500V	
	HFR1-50B4	0.9	50kW	Three-phase 200V	50V	500V	
	HFR1-50B5	0.9.1	50kW	Three-phase 400V	50V	500V	
	HFR1-50B8	1.1	30kW/50kW	Three-phase 200V	50V	450V	
	HFR1-30B8	1.1	30kW/50kW	Three-phase 200V	50V	450V	

CHAdEMO-certified Charger List

Company name	Model number	Specification version	Output power	Input specification	Lower limit of output voltage	Upper limit of voltage	Remarks	
NICHICON CORPORATION	NQC-A102	0.9.1	10kW	Three-phase 200V	50V	500V		
	NQC-A202	0.9	20kW	Three-phase 200V	50V	500V		
	NQC-A301	0.9	30kW	Three-phase 200V	50V	500V		
	NQC-A301S	0.9	30kW	Three-phase 200V	50V	500V		
	NQC-A302	0.9	30kW	Three-phase 200V	50V	500V		
	NQC-A501	0.9	50kW	Three-phase 200V	50V	500V		
	NQC-A502	0.9	50kW	Three-phase 200V	50V	500V		
	NQC-A502E	0.9.1	50kW	Three-phase 200V	50V	500V		
	NQC-A302E	0.9.1	30kW	Three-phase 200V	50V	500V		
	NQC-A202E	0.9.1	20kW	Three-phase 200V	50V	500V		
	NQC-A202ES	0.9.1	20kW	Single-phase 200V	50V	500V		
	NQC-A502N	0.9.1	50kW	Three-phase 200V	50V	500V		
	NQC-A302N	0.9.1	30kW	Three-phase 200V	50V	500V		
	NQC-A202N	0.9.1	20kW	Three-phase 200V	50V	500V		
	NQC-TC103E	1.0.1	10kW	Three-phase 200V	50V	450V		
	NQC-TC1030	1.0.1	10kW	Three-phase 200V	50V	450V		
	NQC-SC103E	1.0.1	10kW	Single-phase 200V	50V	450V		
	NQC-SC1030	1.0.1	10kW	Single-phase 200V	50V	450V		
	NQC-TC353E	1.0.1	25kW	Three-phase AC200V	0V	445.2V		
	NQC-TC3530	1.0.1	25kW	Three-phase AC200V	0V	445.2V		
	NQC-TC253E	1.0.1	25kW	Three-phase 200V	0V	447.5V		
	NQC-TC2530	1.0.1	25kW	Three-phase AC200V	0V	447.5V		
	NQC-SC253E	1.0.1	25kW	Single-phase AC200V	0V	447.5V		
	NQC-SC2530	1.0.1	25kW	Single-phase AC200V	0V	447.5V		
	NQC-TC503E	1.0	50kW	Three-phase AC200V	50V	450V		
	NQC-TC5030	1.0	50kW	Three-phase AC200V	50V	450V		
	NQC-UC5030	1.0	50kW	Three-phase 400V	50V	500V		
	NQC-UC503P	1.0	50kW	Three-phase 400V	50V	500V		
	NISSAN MOTOR CO., LTD.	NSQC442A	0.9	44kW	Three-phase AC200V	50V	500V	
		NSQC442B	0.9	44kW	Three-phase AC200V	50V	500V	
NSQC442BS		0.9	44kW	Three-phase AC200V	50V	500V		
NSQC442C		0.9	44kW	Three-phase AC200V	50V	500V		
NSQC442CS		0.9	44kW	Three-phase AC200V	50V	500V		
NSQC-44-A-1		0.9	44kW	Three-phase AC200V	50V	500V		
NSQC442D		0.9	44kW	Three-phase AC480V	50V	500V		
NSQC442E		0.9	44kW	Three-phase AC480V	50V	500V		
NSQC442F		0.9	44kW	Three-phase AC400V	50V	500V		
NSQC442G		0.9	44kW	Three-phase AC400V	50V	500V		
NSQC443B		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443BB		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443C		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443CB		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC-44-B-1		0.9	44kW	Three-phase AC200V	50V	500V		
NSQC-44-C-1		0.9	44kW	Three-phase AC200V	50V	500V		
NSQC443BD		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443CD		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443BC		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443BE		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443BS		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443CC		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443CE		0.9.1	44kW	Three-phase AC200V	50V	500V		
NSQC443CS		0.9.1	44kW	Three-phase AC200V	50V	500V		
NISSIN ELECTRIC CO., LTD.		NLJ03-3P3W	0.9	25kW	Three-phase 200V	50V	500V	
		NLJ06-3P3W	0.9	50kW	Three-phase 200V	50V	500V	
NIPPON STEEL & SUMIKIN TEXTENG.CO.,LTD.	EV-50-3233	1.0.1	50kW	Three-phase 200V	50V	500V		
	EV-50-0468	0.9	50kW	Three-phase 200V	50V	500V		
	EMC-EV-E30-3260	0.9.1	30kW	Single-phase 200V	50V	500V	Efficiency 89.8% (not up to CHAdEMO standard)	
	EMC-EV-N30-3260	0.9.1	30kW	Single-phase 200V	50V	500V	Efficiency 89.8% (not up to CHAdEMO standard)	
	EMC-EV-E20-3261	0.9.1	20kW	Single-phase 200V	50V	500V		
	EMC-EV-N20-3261	0.9.1	20kW	Single-phase 200V	50V	500V		
NEC Corporation	NQVC440M3	0.9	44kW	Three-phase 200V	50V	500V		
	NQVC500M3	0.9	50kW	Three-phase 200V	50V	500V		

CHAdEMO-certified Charger List

Company name	Model number	Specification version	Output power	Input specification	Lower limit of output voltage	Upper limit of voltage	Remarks
RELIANCE ELECTRIC LTD.	EVQC-5225	0.9	25kW	Three-phase 200V	50V	500V	
	EVQC-5250	0.9	50kW	Three-phase 200V	50V	500V	
	EVQC-5250S	0.9	50kW	Three-phase 200V	50V	500V	
	EVQC-7225	0.9.1	25kW	Three-phase 200V	50V	500V	
	EVQC-7240	0.9.1	35kW	Three-phase 200V	50V	500V	
	EVQC-7250	0.9	50kW	Three-phase 200V	50V	500V	
HASETEC Corporation	BC03-3P3W	0.9	12.5kW	Single/Three-phase 200V	50V	500V	
	LJ03-3P3W	0.9	25kW	Three-phase 200V	50V	500V	
	LJ03-3P3W-EN	0.9	25kW	Three-phase 200V	50V	500V	
	LJ03-3P3W-UN	0.9	25kW	Three-phase 200V	50V	500V	
	LJ06-3P3W40	0.9.1	40kW	Three-phase 200V	50V	500V	
	LJ06-3P3W40-EN	0.9.1	40kW	Three-phase 200V	50V	500V	
	LJ06-3P3W40-UN	0.9.1	40kW	Three-phase 200V	50V	500V	
	LJ06-3P3W	0.9	50kW	Three-phase 200V	50V	500V	
	LJ06-3P3W-EN	0.9	50kW	Three-phase 200V	50V	500V	
	LJ06-3P3W-UN	0.9	50kW	Three-phase 200V	50V	500V	
	QC03-3P3W	0.9.1	44kW	Three-phase 200V	50V	500V	
	QC02-2P2W	0.9.1	25kW	Single-phase 200V	50V	500V	
	LJ03-2P2W	0.9.1	25kW	Single-phase 200V	50V	500V	
	LJ03-2P2W-NE	0.9.1	25kW	Single-phase 200V	50V	500V	
	LJ03-2P2W-EN	0.9.1	25kW	Single-phase 200V	50V	500V	
	LJ03-2P2W-UN	0.9.1	25kW	Single-phase 200V	50V	500V	
	QC03-3P3W-NE	0.9.1	44kW	Three-phase 200V	50V	500V	
	QC03-3P3W-EN	0.9.1	44kW	Three-phase 200V	50V	500V	
	QC03-3P3W-UN	0.9.1	44kW	Three-phase 200V	50V	500V	
	QC02-2P2W-NE	0.9.1	25kW	Single-phase 200V	50V	500V	
	QC02-2P2W-EN	0.9.1	25kW	Single-phase 200V	50V	500V	
	QC02-2P2W-UN	0.9.1	25kW	Single-phase 200V	50V	500V	
Hitachi, Ltd.	IE-HSC0001	0.9	50kW	Three-phase 200V	50V	500V	
	HI-QC001-CN41	0.9.1	50kW	Three-phase 200V	50V	500V	
	HI-QC301-CN41	0.9.1	50kW	Three-phase 200V	50V	500V	
	HI-QC302-CN41	0.9.1	50kW	Three-phase 200V	50V	500V	
	HI-QC601-CN41	0.9.1	50kW	Three-phase 200V	50V	500V	
	HI-QC602-CN41	0.9.1	50kW	Three-phase 200V	50V	500V	
	HIQC-JP30	0.9.1	30kW	Three-phase 200V	50V	500V	
	HIQC-JP45	0.9.1	45kW	Three-phase 200V	50V	500V	
Fuji Electric Co.,Ltd.	FRCH39B-2-01	0.9.1	39kW	Three-phase 200V	50V	500V	
	FRCH44B-2-01	0.9.1	44kW	Three-phase 200V	50V	500V	
	FRCH50B-2-01	0.9	50kW	Three-phase 200V	50V	500V	
	FRCA25C	0.9.1	25kW	Three-phase 200V	50V	500V	
	FRCM25C	0.9	25kW	Three-phase 200V	50V	500V	
ABB Schweiz AG	ABB Terra 51	0.9	50kW				
	ABB Terra 100.2	0.9	50kW x2				
	ABB Terra Charge Post	0.9	50kW x2				
	Terra 53CJ	1.0.1	50kW	Three-phase 400V	50V	500V	
	Terra 53CJG/CJT	1.0.1	50kW	Three-phase 400V	50V	500V	
	Terra 23CJG/CJT	1.0.1	20kW	Three-phase 400V	50V	500V	
	Terra 23CJ	1.0.1	20kW	Three-phase 400V	50V	500V	
AeroVironment	EV50-F EV50-C	0.9	50kW				
	EVMAX501	0.9	50kW				
Aker Wade	EVMAX502	0.9	50kW				
Andromeda S.r.l.	ORCA Mobile-50kW	0.9.1	50kW	Three-phase 480/400/220/208V	50V	500V	Transportable on wheels. Online billing and demand control. Programmable up to 50kW. up to Pedestal for fix installation.
	ORCA Air-50kW	0.9.1	50kW	Three-phase 480/400/220/208V	50V	500V	Online billing and demand control. Programmable up to 50kW. up to Pedestal for fix installation.
	ORCA Rescue-50kW	0.9.1	50kW	Three-phase 480/400/220/208V	50V	500V	Toolbox for rescue truck. Online billing and demand control.
	ORCA Inceptive-50kW	0.9.1	50kW	DC input 208-480V	50V	500V	DC input
BTCPower	EVP-50	1.0	48kW				
Circontrol, S.A	CCL-UF1	0.9	50kW				
DBT	501BRR001	0.9.1	50kW				

CHAdEMO-certified Charger List

Company name	Model number	Specification version	Output power	Input specification	Lower limit of output voltage	Upper limit of voltage	Remarks
DELTA ELECTRONICS, INC.	DCO-303A3A	0.9	30kW	Three-phase 200V	50V	500V	
	DCO-463A3A	0.9	46kW	Three-phase 200V	50V	500V	
	DCO-503A1A	0.9	50kW	Three-phase 380V	50V	500V	For Taiwan
	DCO-503A3A	0.9	50kW	Three-phase 200V	50V	500V	
	DCO-503A5A	0.9	50kW	Three-phase 380V	50V	500V	For Europe
	DCJ503JxAxx	0.9.1	50kW	Three-phase 200V	50V	500V	CHAdEMO only
	DCJ463JxAxx	0.9.1	46kW	Three-phase 200V	50V	500V	CHAdEMO only
	DCJ303JxAxx	0.9.1	30kW	Three-phase 200V	50V	500V	CHAdEMO only
	DCJ503JxCxx	0.9.1	50kW	Three-phase 200V	50V	500V	CHAdEMO only Cold district specification
	DCJ463JxCxx	0.9.1	46kW	Three-phase 200V	50V	500V	CHAdEMO only Cold district specification
	DCJ303JxCxx	0.9.1	30kW	Three-phase 200V	50V	500V	CHAdEMO only Cold district specification
	DCE503JxBxx	0.9.1	50kW	Three-phase 400V	50V	500V	CHAdEMO only
	DCT503JxBxx	0.9.1	50kW	Three-phase 380V	50V	500V	CHAdEMO only
	DCE503JxDxx	0.9.1	50kW	Three-phase 400V	50V	500V	CHAdEMO only Cold district specification
	DCT503JxDxx	0.9.1	50kW	Three-phase 380V	50V	500V	CHAdEMO only Cold district specification
	DCJ503CxAXx	0.9.1	50kW	Three-phase 200V	50V	500V	2-in-1
	DCJ463CxAXx	0.9.1	46kW	Three-phase 200V	50V	500V	2-in-1
	DCJ303CxAXx	0.9.1	30kW	Three-phase 200V	50V	500V	2-in-1
	DCJ503CxAXx	0.9.1	50kW	Three-phase 200V	50V	500V	2-in-1, cold district specification
	DCJ463CxAXx	0.9.1	46kW	Three-phase 200V	50V	500V	2-in-1, cold district specification
	DCJ303CxAXx	0.9.1	30kW	Three-phase 200V	50V	500V	2-in-1, cold district specification
	DCE503DxBxx	0.9.1	50kW	Three-phase 400V	50V	500V	2-in-1
	DCT503DxBxx	0.9.1	50kW	Three-phase 380V	50V	500V	2-in-1
	DCE503DxDxx	0.9.1	50kW	Three-phase 400V	50V	500V	2-in-1, cold district specification
	DCT503DxDxx	0.9.1	50kW	Three-phase 380V	50V	500V	2-in-1, cold district specification
	DCJ503CxAXxM	0.9.1	50kW	Three-phase 200V	50V	500V	2-in-1 CCS ready
	DCJ463CxAXxM	0.9.1	46kW	Three-phase 200V	50V	500V	2-in-1 CCS ready
	DCJ303CxAXxM	0.9.1	30kW	Three-phase 200V	50V	500V	2-in-1 CCS ready
	DCJ503CxAXxM	0.9.1	50kW	Three-phase 200V	50V	500V	2-in-1 CCS ready Cold district specification
	DCJ463CxAXxM	0.9.1	46kW	Three-phase 200V	50V	500V	2-in-1 CCS ready Cold district specification
	DCJ303CxAXxM	0.9.1	30kW	Three-phase 200V	50V	500V	2-in-1 CCS ready Cold district specification
	EVDJ25CXDXx	1.2	25kW	Three-phase 400V	50V	500V	CCS1 and CHAdEMO 380-415 Vac, three-phase, 50/60Hz
EVDJ25DXDXx	1.2	25kW	Three-phase 400V	50V	500V	CCS2 and CHAdEMO 380-415 Vac, three-phase, 50/60Hz	
EVDJ25JDXDXx	1.2	25kW	Three-phase 400V	50V	500V	CHAdEMO 380-415 Vac, three-phase, 50/60Hz	
EVDJ25DXEXx	1.2	25kW	Three-phase 200V	50V	500V	CCS2 and CHAdEMO 200-230 Vac, three-phase, 50/60Hz	
EVDJ25CXEXx	1.2	25kW	Three-phase 200V	50V	500V	CCS1 and CHAdEMO 200-230 Vac, three-phase, 50/60Hz	
EVDJ25JXEXx	1.2	25kW	Three-phase 200V	50V	500V	CHAdEMO 200-230 Vac, three-phase, 50/60Hz	
EFACEC Engenharia e Sistemas, S.A	EFACEC EV QC	0.9	50kW				
	EFAPOWER EV QC45	0.9.1	45kW				
	EFAPOWER EV QC20	0.9.1	20kW				
Enel	Enel Fast Recharge Plus 2G - Trio	1.1.1	50kW	Three-phase 400V	50V	500V	
Ensto Finland Oy	Ensto Chago Tower	0.9.1	20kW	Three-phase 400V	50V	500V	
EVTEC AG	move&charge MFC1	0.9.1	18.3kW	Three-phase 400V	250V	420V	
	coffee&charge PFC1	0.9.1	18.3kW	Three-phase 400V	250V	420V	
	move&charge MFC2	0.9.1	20kW	Three-phase 400V	50V	500V	
	coffee&charge PFC2	0.9.1	20kW	Three-phase 400V	50V	500V	
EVTRONIC	E000100AA01	0.9	50kW				
GH Electrotermia S.A.	Everflash-50 (FVE 050)	0.9	50kW	Three-phase 400V	50V	500V	
JoongAng Control	JC6231	0.9.1	50kW	Three-phase 380V	50V	500V	
MAGNUM CAP, Lda.	QCK15001-M	0.9					
	QCP15001-M	0.9					
Nation-E AG	ACHR-01	0.9.1	20kW	Three-phase 210V	50V	500V	
Petrotec	PFAST	0.9	50kW				
PNE SOLUTION CO., LTD	EVC+050 Quick Charger	0.9.1	50kW	Three-phase 380V	50V	500V	
	EVC50 Quick Charger	0.9.1	50kW	Three-phase 200V	50V	500V	
	EVC+050 Quick Charger_R	0.9.1	50kW	Three-phase 200V	50V	500V	
	EVC+030 Quick Charger_SP	0.9.1	30kW	Single-phase 200V	50V	500V	
Schneider Electric	FCS-V1-019	0.9	50kW				
	EVF60050DTR	0.9.1	50kW	Three-phase 600V	50V	500V	
	EVF20850DTy	0.9.1	50kW	Three-phase 208V	50V	500V	
	EVF48050DTy	0.9.1	50kW	Three-phase 480V	50V	500V	
	EVF24050DTy	0.9.1	50kW	Three-phase 240V	50V	500V	
	EVF60050DTy	0.9.1	50kW	Three-phase 600V	50V	500V	

CHAdEMO-certified Charger List

Company name	Model number	Specification version	Output power	Input specification	Lower limit of output voltage	Upper limit of voltage	Remarks
SGTE HAZEMEYER	EV QUICK CHARGER DC	0.9	50kW				
Siemens AG	CP300D3xB05-4xxx	0.9.1	50kW	Three-phase 400V	50V	500V	
Signet EV Inc.	HB50K-EV	0.9	50kW	Three-phase 220V	50V	500V	
	FC50K-CH	1.2	50kW	Three-phase 220V	50V	500V	
	FC50K-CH-S	1.2	50kW	Three-phase 220V	50V	500V	
	FC50K-CC	1.2	50kW	Three-phase 220V	50V	500V	
	FC50K-CC-S	1.2	50kW	Three-phase 220V	50V	500V	
	SFC50K-CH2	1.2	50kW	Three-phase 220V	50V	500V	
Tritium Pty Ltd	TRI93-50-01	0.9.1	50kW	Three-phase 400V	50V	500V	
Hong Kong Productivity Council	EFS-50 Smart EV Fast Charger	0.9.1	50kW	Three-phase 380V	50V	500V	
INGETEA POWER TECHNOLOGY S.A.	INGEREV ROAD RG050A-CH	0.9.1	50kW	Three-phase 400V	50V	500V	

CHAdeMO-certified V2H system list

Company name	Model number	Specification version	Grid connection	AC Input	Output power	Remarks
TAKAOKA TOKO CO., LTD.	CFD1-B-V2H1	2.1		200V	3kW	
HONDA Motor Co., Ltd.	UEAJ	2.1	○		5.5kW	
NICHICON CORPORATION	ESS-V1	2.1	○	202V	5.9kW	
	ESS-V1S	2.1	○	202V	5.9kW	
	VCG-663CN3	2.1	○	200V	5.9kW	
	VCG-666CN7	2.1	○	200V	5.9kW	
Tsubakimoto Chain Co.	TPS10	2.1	○	200V	5kW	
IKS Co., Ltd.	S06JP010V	2.1	○	200V	6kW	

CHAdeMO-certified V2L system list

Company name	Model number	Specification version	Output power	Remarks
HONDA Motor Co., Ltd.	EBHJ	2.1	9.0kVA	HONDA Power Exporter 9000
NICHICON CORPORATION	VPS-4C1A	2.1	4.5kW	Power Mover
Toyota Industries Corporation	EVPS-L1	2.1	9.0kVA	